



JOB _____ ITEM # _____ QTY # _____

MODEL NUMBER

- ATCA-ST-1014 2ATCA-ST-1014 ASCA-ST-1826
- ATCA-ST-1216 2ATCA-ST-1216
- ATCA-ST-1418 2ATCA-ST-1418
- ATCA-ST-1520 2ATCA-ST-1520
- ATCA-ST-1622 2ATCA-ST-1622
- ATCA-ST-2020

MODELS / DIMENSIONS

Model #	Max Tray Size	A	B	C
<input type="checkbox"/> ATCA-ST-1014	10" x 14"	13"	24"	37-1/2"
<input type="checkbox"/> ATCA-ST-1216	12-1/4" x 16-1/2"	14-1/2"	25 1/2"	37-1/2"
<input type="checkbox"/> ATCA-ST-1418	14" x 18"	16"	27-1/2"	37-1/2"
<input type="checkbox"/> ATCA-ST-1520	15-1/4" x 20-1/2"	17"	30-1/2"	37-1/2"
<input type="checkbox"/> ATCA-ST-1622	16" x 22"	18-1/2"	32"	37-1/2"
<input type="checkbox"/> ATCA-ST-2020	20" x 20"	21"	29"	37-1/2"
<input type="checkbox"/> 2ATCA-ST-1014	10" x 14"	25-1/2"	24"	37-1/2"
<input type="checkbox"/> 2ATCA-ST-1216	12-1/4" x 16-1/2"	29-1/2"	26"	37-1/2"
<input type="checkbox"/> 2ATCA-ST-1418	14" x 18"	32-1/2"	27-1/2"	37-1/2"
<input type="checkbox"/> 2ATCA-ST-1520	15-1/4" x 20-1/2"	39"	30-1/2"	37-1/2"
<input type="checkbox"/> 2ATCA-ST-1622	16" x 22"	37-1/2"	32"	37-1/2"
<input type="checkbox"/> ASCA-ST-1826	18" x 26"	20"	35-1/2"	37-1/2"

FRAME AND BODY

The frame is constructed of all welded heavy gauge stainless steel. The body is stainless steel on all sides and top, and is fitted with a stainless steel tubular push handle. Model 2ATCA-ST is constructed similarly to Model ATCA-ST except that it consists of a double size frame and body and has two independent tray carriers and dispensing mechanisms to accommodate two stacks of trays. The front panel is removable for adjustment access.

DISPENSING MECHANISM

The tray and pan carriers (two on Model 2ATCA-ST), constructed of all welded 16 ga. stainless steel, are each raised by a series of coil springs attached to the frame. Ball bearing guides and a single stainless steel aircraft type cable keep each carrier level in all directions, even with an unbalanced load. The cable runs over pre-lubricated plated steel pulleys.

ADJUSTMENT

Adjustment for various tray or pan weights is easily accomplished by removing the front panel, then engaging or disengaging individual springs as required.

CASTERS

Each unit is mounted on four 4" diameter, heavy duty, swivel, casters.

LIMITED WARRANTY: PIPER PRODUCTS warrants to the original purchaser parts and labor for a period of twelve (12) months from the date of purchase. See manufacturer's complete warranty for details.

It is our policy to build equipment which is design certified by companies that have been accredited at the Federal Level by the Occupational Safety and Health Agency (OSHA) and ANSI as a National Recognized Testing Laboratory. These companies include CSA International, Underwriters Laboratories, and the National Sanitation Foundation. However, a continuing program of product improvement makes it necessary to submit new models to the agencies as they are developed. Consequently, all models may not bear the appropriate labels at all times.

We reserve the right to change specifications and product design without notice. Such revisions do not entitle buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. Information is not for design purposes.

Custom Tray Sizes Available Upon Request

Rack Capacity: Up to 192 glasses or 175 cups in racks.

Shipping weight ATCA-ST; 150 lbs

Shipping weight 2ATCA-ST; 280 lbs

Shipping weight ASCA-ST; 170 lbs

OPTIONS

Part #	Description
<input type="checkbox"/> WB	Two locking casters
<input type="checkbox"/> PB	Perimeter bumper
<input type="checkbox"/> B	Corner bumper
<input type="checkbox"/> Y4	Polyurethane 4" casters (set of 4)
<input type="checkbox"/> Y5	Polyurethane 5" casters (set of 4)
<input type="checkbox"/> 341-3483	Napkin Dispenser, folded napkin 3-1/2" x 7"

SPEC E-17

PIPER PRODUCTS
BUILT TO LAST
www.piperonline.net

300 S. 84th Avenue
 Wausau, WI 54401
 Phone: 800-544-3057
 Fax: 715-842-3125