

Holding Cabinets Stainless Steel





Piper Holding Cabinets are perfect for maintaining temperatures up to 225 degrees fahrenheit.* A member of our Chef SystemTM line, this cabinet utilizes separate heat and humidity controls for precise control over the holding environment. This allows the unit to be used for holding, warming, and proofing.

It is available in multiple configurations, including a warmer with single or dutch doors, a double warmer with individually controlled holding sections, or a half size warmer for smaller operations. Each is designed to hold 18" x 26" bun pans or 12" x 20" steam table pans.

STANDARD FEATURES

- ◆ Precise Temperature to 225° and Humidity Control
- ◆ Stainless Steel Construction
- ◆ All exterior walls formed from 20 gauge stainless steel type 304
- ◆ Two inch insulation surrounds the entire cabinet
- ◆ 1" x 2-1/2" fully welded steel foundation

JOB_____ ITEM # ____ QTY # ____

MODEL NUMBER

- □ 1008-SS
- □ 1016-SS
- ☐ 1016-SS-D

DIMENSIONS

♦ 1008-SS
 ♦ 1016-SS
 H48.875" x W29.75" x D31.625"
 ♦ 1016-SS-D
 H74.75" x W29.75" x D31.625"
 ♦ 1016-SS-D

HEAT SYSTEM

- ◆ Individual heat and food moisture controls
- Digital read-out for accuracy
- ◆ Stainless steel 1 gallon water pan
- ◆ Unit removable for easy cleaning & maintenance
- ♦ 60 minute timer

HEAVY DUTY DOOR

- ◆ Fully insulated
- ◆ Full perimeter high-temp gasket
- ◆ Stainless Steel or Glass full-view panel
- ◆ 1" x 2-3/4" extruded frame
- ◆ Left hinge standard, right hinge available. Please specify upon ordering

FLEXIBLE PAN GLIDE SYSTEM

- Removable chrome racks with adjustable spacing every 1.5"
- ♠ Accommodates 18" x 26" bun pans or 12" x 20" steam table pans
- ◆ Removable for easy cleaning


WARRANTY


One year parts and labor. Warranty is detailed on inside front cover of the price list.

SPEC K-3











Interior View



Control Panel View

HOLDING CABINET SPECIFICATIONS

Model#	Description	Height Inches	Width Inches	Depth Inches	Glide Spacing	18" x 26" Capacity	12" x 20" Capacity	Ship Wt. (lbs)	Voltage	Watts	Amps	NEMA
1008-SS	Half size	48.875"	29.75"	31.625"	1.5"	8	16	280	120v	2000	16.7	5-20P
1016-SS	Full size	74.75"	29.75"	31.625"	1.5"	16	32	460	120v	2750	22.9	5-30P
1016-SS-D	Double Unit	74.75"	29.75"	31.625"	1.5"	16	32	460	120v	4000	33.3	5-50P

Height includes casters. Typical freight class: 100

Holds: 18" x 26" bun pans, 12" x 20" steam table pans.

Applications: Meat, Poultry, Fish, Vegetables, Casseroles, Bakery rolls, Etc.

OPTIONS / ACCESSORIES

- ☐ Full perimeter bumper (PB)
- ☐ Pass-thru Door (PT)
- ☐ Glass full-view door (GL)
- ☐ Locking Hasp (LH)

K-3 SPEC



300 S. 84th Avenue Wausau, WI 54401 Phone: 800-544-3057 Fax: 715-842-3125 **LIMITED WARRANTY:** PIPER PRODUCTS warrants to the original purchaser parts and labor for a period of twelve (12) months from the date of purchase. See manufacturer's complete warranty for details.

It is our policy to build equipment which is design certified by companies that have been accredited at the Federal Level by the Occupational Safety and Health Agency (OSHA) and ANSI as a National Recognized Testing Laboratory. These companies include CSA International, Underwriters Laboratories, and the National Sanitation Foundation. However, a continuing program of product improvement makes it necessary to submit new models to the agencies as they are developed. Consequently, all models may not bear the appropriate labels at all times.

We reserve the right to change specifications and product design without notice. Such revisions do not entitle buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. Information is not for design purposes.